



**VAN ISLE
MARINA**



2011 Grady-White Express 330 \$ 309,000 CAD

33 ft





Dimensions

LOA	35.83 ft
Beam	11.58 ft
Deadrise	19 °
Dry Weight	10,840 lb
Bridge Clearance	9.83 ft
Hull	Fiberglass

Accommodations

Heads	1
-------	---

Tanks

Fuel	350 gallon
Water	50 gallon
Holding	10 gallon

ENGINES

Engines:	2
Engine Total Power:	700 hp

Engine 1

Engine Brand	Yamaha
Year Build	2011
Engine Model	LF350XCA
Engine Type	Outboard
Engine Fuel Type	unleaded
Location	Starboard
Engine Hours	346
Engine Power	350 horsepower

Engine 2

Engine Brand	Yamaha
Year Build	2011
Engine Model	LF350XCA
Engine Type	Outboard
Engine Fuel Type	unleaded
Location	Port
Engine Hours	349
Engine Power	350 horsepower



Available Soon!

Annual moorage or upland storage in secure yard with exclusive use of boat ramp at Van Isle Marina available to Purchaser.

Full mechanical and seasonal maintenance being completed. Professionally detailed.

Twin Yamaha 350hp (less than 350 hours!)

Fischer Panda 8kw diesel genset

Diesel furnace & Reverse Cycle heat & AC

Complete Raymarine Nav System

SidePower Bow Thruster

Only one owner & always boathouse kept!

Deluxe III Helm Chair with flip up bolster

Named one of the 25 all-time greatest offshore saltwater fishing boats, Grady's *Express 330* delivers on comfortable seating, an abundance of features, a luxurious cabin, and exceptional overall performance. This 33-foot fishing express cabin boat is also great for cruising with family and friends or enjoying a weekend away. Amenities such as a stainless steel refrigerator and a galley with sink and stove add to the comforts this cabin boat offers as standard. Optional features like Helm Master EX® with Full Maneuverability, outrigger kits, and air conditioning put this boat in a league of its own for customer satisfaction. And of course, like all other Gradys, this amazing boat comes standard with the top-performing, Grady-White exclusive SeaV²® hull.



Manufacturer Provided Description

No description

Standard Features

Safety • 2 automatic bilge pumps (total 3000 GPH) (11,356 LPH)

- Basic flotation
- Bow rail - 316 grade stainless steel
- Cockpit toe rails
- Companion grab rail
- Nonskid fiberglass liner
- Self-bailing cockpit w/cockpit drains (6)
- Stainless steel through-hull fittings

Cabin

- Accessory outlet - 12V
- Air conditioning - 12,000 BTU
- Berth - aft double berth
- Berth - forward vee berth
- Flat screen 15" LCD TV w/DVD player and audio visual inputs
- Forward hatch - low profile acrylic hatches w/retractable screen and shade (2)
- Forward hatch curtains
- Galley - port side galley w/sink, light and Corian cutting board
- Head - enclosed ventilated head area w/sink, shower, lamps, storage cabinet and VacuFlush marine head w/10-gallon (37.9 l) holding tank and pump out
- Lighting - dome lights (4)
- Lighting - reading
- Lighting - recessed (2)
- Lockable door w/screen and companionway hatch
- Microwave oven
- Mirrors
- Refrigerator
- Rod storage racks
- Stereo system w/MP3/auxiliary audio connections and fold down storage - satellite ready
- Storage - cherry galley cabinets
- Storage - under berth compartments
- Storage nets
- Stove - electric glass top
- Table - cherry
- Teak and holly sole
- Water heater - 6-gallon (22.7 l), 120V
- Water tank - 44-gallon (166.6 l) freshwater

Cockpit and Deck

- 100 percent hand laid hull and deck
- Accessory outlet - 12V (2)
- Anchor windlass w/remote switches at helm and windlass
- Batteries (4)
- Battery charger system



- Battery select switches w/extra batteries
- Bow pulpit w/roller
- Cockpit bolsters
- Cockpit freshwater shower (recessed)
- Cockpit lights - LED lighting
- Compass
- Cooler - 56-qt. (53 l) port helm seat cooler
- Deck hardware - 316 grade stainless steel through-bolted
- Dockside power w/galvanic isolator
- Drink holders (8)
- Factory engine pre-rigging
- Fighting chair reinforcement
- Fish box - 254-qt. (240.4 l) aft insulated fish box w/ob drain
- Footrest - helm (adjustable)
- Fuel capacity - 350 gallons (150-gallon tank, 200-gallon tank) (1325 l)
- Generator - 4kW diesel, 13-gallon (49.2 l) fuel capacity
- Hardtop w/radio box, storage net, spreader lights, rod holders (6), low profile acrylic hatch and canvas (canvas available in navy or ivory)
- Hydraulic trim tabs w/indicator and retractor
- Integrated outboard mounting system w/swim platform and ladder
- International lighting
- Livewell - 45-gallon (170.3 l) starboard insulated raw water livewell w/light, full column distribution inlet and ob drain (1100 GPH pump) (4164 LPH)
- Rigging station w/freshwater sink and pullout faucet
- Rod holders - gunwale (4)
- Rod storage racks - horizontal (4)
- Rubrail - high density PVC w/stainless steel insert
- Seating - fold away aft bench seat w/cushion
- Seating - helm area surround seat
- Seating - vertically and horizontally adjustable deluxe helm chair
- Spring line cleats
- Steering - hydraulic tilt
- Steering wheel - 316 grade stainless steel
- Stern eyes - heavy-duty 316 stainless steel
- Storage - aft deck lift out box
- Storage - electromechanically operated electronics enclosure
- Storage - forward locker w/rode storage
- Storage - under helm area surround seating
- Storage - transom
- Transom door - fiberglass
- Washdown - freshwater
- Washdown - pressurized raw water w/hose
- Windshield - 20" x 20" tempered glass windshield
- Windshield washer - freshwater
- Windshield wiper

Factory Options

Autopilot

Icom 604 VHG Radio